

Built for any emergency

Compared to a traditional gas generator, the EcoFlow Smart Generator offers better fuel efficiency and less energy loss when you charge DELTA Pro or DELTA Max. It achieves this by directly charging your portable power station through a simple and efficient DC charging process.



Seamless LPG set up.

With LPG, we've made it easier than ever. Plug into the LPG inlet without any tools required. Once set up, you can use the generator seamlessly as it auto-switches modes, allowing you to power up in seconds with the electric start button. We've gone the extra mile too, with a built-in pressure regulator, it's easier to carry your unit.

More fuel efficiency.

When charging DELTA Pro, DELTA Max or Power Kits, you can save up to 40% on fuel compared to using other generators & portable power stations.



Huge capacity for extended blackouts.

With a 1600W-1800W output and a 4L gasoline tank, you can generate 5.4kWh in gasoline or even 20kWh with LPG. That gives you up to 12.5 hours of runtime with LPG alone.

SMART GENERATOR

Dual Fuel (Gasoline & LPG)




GET YOURS TODAY

+255 677 061 468
energy @gadgetronix.net

Gadgetronix
UNLIMITED TECHNOLOGIES
WWW.GADGETRONIX.COM

EcoFlow Smart Generator

Introducing the ultimate backup power solution to accompany your DELTA Pro, DELTA Max or Power Kits. The EcoFlow Smart Generator, now with dual fuel support - you get the option of both your usual gas, and with LPG, it's more efficient, and more intuitive than ever.



Charge & power devices at the same time



Generator Specs

Dimensions
597x300x475 mm

Type
Inverter generator

Rated Voltage
100~120V/200~240V

DC Output Voltage
42-58.8V

Weight
28.5 kg

Frequency
60Hz

Rated Power
1800W (1900W peak)

DC Current
32A Max

Engine Specs

Model
R80-i

Displacement
79.7cc

Fuel Tank Capacity
4 L / 1.05 gal.

Noise Level (at a 7m distance)
56~67dB (full load)

Type
Single cylinder, four-stroke,
forced-air cooling,
overhead valve

Fuel Type
Unleaded gasoline

Engine Oil Capacity
0.38 L / 0.1 gal.

Continuous Working Time
3.5 hrs (full load)

